

Tork® Xpress® Multifold Hand Towel / Slimline Advanced

148430



Description

- Advanced quality for cost savings and high performance
- One-at-a-time dispensing for reduced consumption and increased hygiene

Product Certifications



Product Details

System	H2
Color	White
Folded length	8 cm
Folding type	Multifold Z
Panel	3
Ply	1
Print	No
Unfolded Width	21 cm
Unfolded length	24 cm
Folded width	21 cm
Fibre Type	Virgin
Embossing	Yes

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	9414812843020	19414812843027	-
Packaging Material	Banderole	Plastic	-
Pieces	185	3885 (21 CON)	-
Height	80 mm	214 mm	1,220 mm
Length	129 mm	570 mm	1,000 mm
Width	213 mm	390 mm	1,200 mm
Gross Weight	500 g	9.2 kg	292.5 kg
Net Weight	500 g	10.5 kg	262.5 kg
Volume	2.2 dm3	47.57 dm3	1,464 dm3
Layers Per Pallet	-	-	-
TRP Per Layer	-	-	-

1. Environmental Product Declaration (EPD) Tork Hand Towels S-P-00851

Compatible Products



Tork Xpress Multifold Hand Towel Disp SS
460004



Tork Xpress Countertop Multif HT Disp SS
460005



Tork Xpress Multifold Hand Towel Disp Wh
552000



Tork Xpress Multifold Hand Towel Disp Bl
552008

Environmental Information

Content	The product is made from Virgin pulp The packaging material is made from paper or plastic.
Material	Virgin fibres There are different methods used today for bleaching: ECF (elementary chlorine free, where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used. Virgin pulp fibres are produced out of softwood or hardwood. The wood is subject to chemical and/or mechanical processes where the cellulose fibres are separated out and lignin and other residuals are removed. Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.
Chemicals	All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view. To control product performance we use additives: • Wet strength agents (for Wipers and Hand Towels) • Dry strength agents (is used together with mechanical treatment of the pulp to make strong products like wipers) • For coloured papers dyes and fixatives (to secure perfect fastness of the colour) are added • For printing products printing inks (pigments with carriers and fixatives) are applied

- For multi ply products we often use water soluble glue to secure the integrity of the product

In most of our mills we do not add optical brighteners.

We do not use softeners for professional hygiene products.

High product quality is secured through quality and hygiene management systems throughout production, storage and transport.

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibres to prevent fiber loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke we use:

- Pulping aid (chemicals that help to repulp wet strong paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	Date of issue: 19-04-2019 Revision date: 29-10-2024
Production	This product is produced at mill and certified according to HACCP, ISO 9001, ISO 14001 (Environmental management systems), FSC Chain-Of-Custody company certification "Well managed forest" and AS/NZS 4801:2001.
Destruction	This product is mainly used for personal hygiene and can be collected together with household waste.

Essity Hygiene and Health AB, 405 03 GÖTEBORG, Sweden